AMBER

Revised: 07/04/2020

Version: 4 (Replaced 3)

78-120 Gościno - Zachodniopomorskie - Polska Phone.: +48 94 35 123 94 - Fax: +48 94 35 126 22 troton@troton.com.pl www.troton.pl

1.4 Emergency telephone number: (8am-4pm)+48 094 35 123 94; 112

Date of compilation: 27/06/2017

SECTION 2: HAZARDS IDENTIFICATION **

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319 Flam. Liq. 3: Flammable liquids, Category 3, H226 Repr. 2: Reproductive toxicity, Category 2, H361d Skin Irrit. 2: Skin irritation, Category 2, H315 STOT RE 1: Specific target organ toxicity, repeated exposure, Category 1, H372

2.2 Label elements:

Printing: 09/04/2020

CLP Regulation (EC) No 1272/2008:



Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation Flam. Liq. 3: H226 - Flammable liquid and vapour Repr. 2: H361d - Suspected of damaging the unborn child. Skin Irrit. 2: H315 - Causes skin irritation STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary statements:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P260: Do not breathe dust/fume/gas/mist/vapours/spray

P280: Wear protective gloves/protective clothing/eye protection/face protection

P302+P352: IF ON SKIN: Wash with plenty of water

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308+P313: IF exposed or concerned: Get medical advice/attention

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively

Substances that contribute to the classification

Styrene Monomer

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

** Changes with regards to the previous version

AMBER

Date of compilation: 27/06/2017 Revised: 07/04/2020 Version: 4 (Replaced 3)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Printing: 09/04/2020

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of chemical products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification	Chemical name/Classification			
CAS:	100-42-5	Styrene Monomer ⁽¹⁾		ATP ATP06	
EC: Index: REACH:	202-851-5 601-026-00-0 01-2119457861-32- XXXX		Acute Tox. 4: H332; Eye Irrit. 2: H319; Flam. Liq. 3: H226; Repr. 2: H361d; Skin Irrit. 2: H315; STOT RE 1: H372 - Danger	() (b) (b)	10 - <25 %

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO₂). IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

AMBER

Printing: 09/04/2020 Date of compilation: 27/06/2017 Revised: 07/04/2020

Version: 4 (Replaced 3)

SECTION 5: FIREFIGHTING MEASURES (continued)

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 2014/34/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

PREGNANT WOMEN SHOULD NOT BE EXPOSED TO THIS PRODUCT. Transfer in designated areas that comply with the necessary safety conditions (emergency showers and eyewash stations in close proximity), using personal protection equipment, especially on the hands and face (See section 8). Limit manual transfers to small amounts only. Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

	A	Technical	measures	for	storage	
--	---	-----------	----------	-----	---------	--

Minimum Temp.:	15 °C
Maximum Temp.:	25 °C

- CONTINUED ON NEXT PAGE -

AMBER

Printing: 09/04/2020 Date of compilation: 27/06/2017 Revised: 07/04/2020 Version: 4 (Replaced 3) SECTION 7: HANDLING AND STORAGE (continued) Maximum time: 12 Months B.- General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 7.3 Specific end use(s): Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1 **Control parameters:** Substances whose occupational exposure limits have to be monitored in the workplace There are no occupational exposure limits for the substances contained in the product **DNEL (Workers):** Short exposure Long exposure Identification Systemic Local Systemic Local Non-applicable Non-applicable Non-applicable Non-applicable Styrene Monomer Oral Non-applicable Non-applicable Non-applicable CAS: 100-42-5 Dermal 406 mg/kg EC: 202-851-5 Inhalation 289 mg/m³ 85 mg/m³ Non-applicable 306 mg/m³

DNEL (General population):

[Short e	xposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
Styrene Monomer	Oral	Non-applicable	Non-applicable	2,1 mg/kg	Non-applicable
CAS: 100-42-5	Dermal	Non-applicable	Non-applicable	343 mg/kg	Non-applicable
EC: 202-851-5	Inhalation	174,25 mg/m ³	182,75 mg/m ³	10,2 mg/m ³	Non-applicable

PNEC:

Identification						
Styrene Monomer	STP	5 mg/L	Fresh water	0,028 mg/L		
CAS: 100-42-5	Soil	0,2 mg/kg	Marine water	0,0028 mg/L		
EC: 202-851-5	Intermittent	0,04 mg/L	Sediment (Fresh water)	0,614 mg/kg		
	Oral	Non-applicable	Sediment (Marine water)	0,0614 mg/kg		

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

In accordance with the order of importance to control professional exposure (Directive 98/24/EC) it is recommended to use localized extraction in the work area as a collective protection measure to avoid exceeding the occupational exposure limits. In case of using personal protective equipment it should have CE marking in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For additional information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Mandatory Filter mask for gases and vapours Filter mask for gases and vapours EN 405:2001+A1:2009 Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory respiratory tract	<u> </u>		EN 405:2001+A1:2009	contaminant inside the face mask. If the contaminant comes with warnings it is

C.- Specific protection for the hands

AMBER

		CONTR	OLS/PERSON/	AL FROILCI				
	Pictogram		PPE	Labelling		CEN Standard		Remarks
	Mandatory hand protection		posable chemical ective gloves	CAT III		N ISO 374-1:2016 EN 16523-1:2015 420:2003+A1:2009	manuf the p	The Breakthrough Time indicated by the acturer must exceed the period during v product is being used. Do not use protec ms after the product has come into cont with skin.
D.		d has the	refore to be che				erial ca	n not be predicted in advance w
	Pictogram		PPE	Labelling		CEN Standard		Remarks
	Mandatory face protection	F	ace shield	CAT II		EN 166:2001 EN 167:2001 EN 168:2001 EN ISO 4007:2018		a daily and disinfect periodically accordin nanufacturer's instructions. Use if there risk of splashing.
E	Body protection				•			
	Pictogram		PPE	Labelling		CEN Standard		Remarks
Mandatory complete body protectionDisposab protection a risks, with fireprotSafety i protectionSafety i risk, with ar		protection risks, wi	ble clothing for against chemical th antistatic and pof properties	CAT III	ł	EN 1149-1,2,3 13034:2005+A1:2009 EN ISO 13982- 1:2004/A1:2010 EN ISO 6529:2013 IN ISO 6530:2005 N ISO 13688:2013 EN 464:1994		r professional use only. Clean periodical ording to the manufacturer's instructior
		ety footwear for on against chemical o antistatic and heat stant properties		EN ISO 13287:2012 EN ISO 20345:2011 EN 13832-1:2019		Replace boots at any sign of deteric		
F	Additional emerge	ency mea	sures		•			
	Emergency mea	asure	St	andards		Emergency meas	ure	Standards
	Emergency sho	ower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011		011	Eyewash stations		DIN 12 899 ISO 3864-1:2011, ISO 3864-4:201
Environmental exposure controls: In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 20,08 % weight V.O.C. density at 20 °C: 55 kg/m³ (55 g/L) Average carbon number: 8 Average molecular weight: 104,2 g/mol								
IO	N 9: PHYSICAL A			-				
In	formation on ba	sic physi	cal and chemi	cal propertie	s:			
Fo	r complete informa	ition see t	he product data	isheet.				
Aŗ	pearance:							
Ph	ysical state at 20 °	C:		Liqu	id			
				Vice	ous			
Ap	pearance:			VISC	ous			

- CONTINUED ON NEXT PAGE -

AMBER

Printing: 09/04/2020 Date of compilation: 27/06/2017 Revised: 07/04/2020 Version: 4 (Replaced 3) SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued) Colour: White Odour: Characteristic Odour threshold: Non-applicable * Volatility: Boiling point at atmospheric pressure: 145 °C Vapour pressure at 20 °C: 622 Pa Vapour pressure at 50 °C: 3297,17 Pa (3,3 kPa) Non-applicable * Evaporation rate at 20 °C: **Product description:** Density at 20 °C: 1300 kg/m³ Relative density at 20 °C: 1,3 Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: >20,5 cSt Concentration: Non-applicable * pH: Non-applicable * Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Explosive properties: Non-applicable * Oxidising properties: Non-applicable * Flammability: Flash Point: 32 °C Flammability (solid, gas): Non-applicable * 490 °C Autoignition temperature: Not available Lower flammability limit: Not available Upper flammability limit: **Explosive:** Non-applicable * Lower explosive limit: Upper explosive limit: Non-applicable * Other information: 9.2 Surface tension at 20 °C: Non-applicable * Refraction index: Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

AMBER

Revised: 07/04/2020

Version: 4 (Replaced 3)

Avoid alkalis or strong bases

Not applicable

SECTION 10:	STABILITY A	ND REACTIVITY (continued)

Date of compilation: 27/06/2017

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Printing: 09/04/2020

10.5

Applicable for handling and storage at room temperature:

		Contact with air	Increase in temperature	Sunlight	Humidity				
		Not applicable	Risk of combustion	Avoid direct impact	Not applicable				
	Incompatible materials:								
	Acids	Water	Oxidising materials	Combustible materials	Others				

Avoid direct impact

Avoid strong acids Not applicable

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
 - IARC: Styrene Monomer (2A); Talc (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Reproductive toxicity: Suspected of damaging the unborn child.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
 - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

AMBER

nting: 09/04/2020	Date of compilation: 27/06/2017	Revised: 07/04/2020	Ver:	sion: 4 (Replaced 3)				
SECTION 11: TOXIC	ECTION 11: TOXICOLOGICAL INFORMATION (continued)							
 Specific target organ toxicity (STOT)-repeated exposure: Serious health effects in the case of prolonged consumption, including death, serious functional disorders or morphological changes of toxicological importance. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3. H- Aspiration hazard: 								
Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3. Other information:								
Non-applicable								
Specific toxicology information on the substances:								
	Identification		Acut	te toxicity	Genus			
Styrene Monomer		LD50 c	oral	>2000 mg/kg				
CAS: 100-42-5		LD50 c	lermal	>2000 mg/kg				
EC: 202-851-5		LC50 in	nhalation	12 mg/L (4 h)	Rat			

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

- 12.1 Toxicity:
 - Not available
- 12.2 Persistence and degradability:

Not available

- 12.3 Bioaccumulative potential:
 - Not available

12.4 Mobility in soil:

Identification	Absorption/desorption		Volati	lity
Styrene Monomer	Кос	Non-applicable	Henry	Non-applicable
CAS: 100-42-5	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 202-851-5	Surface tension	3,21E-2 N/m (25 ⁰C)	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 11* 15 01 10*	waste paint and varnish containing organic solvents or other hazardous substances packaging containing residues of or contaminated by hazardous substances	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP10 Toxic for reproduction, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

AMBER

Printing: 09/04/2020	Date	of compilation: 27/06/2017	Revised: 07/04/2020	Version: 4 (Replaced 3)
SECTION 13: DISPO	SAL CC	ONSIDERATIONS (continued)		
management are	stated	x II of Regulation (EC) No 1907/20 irective 2008/98/EC, 2014/955/EU	. , , ,	y or state provisions related to waste 2014
SECTION 14: TRANS	PORT	INFORMATION		
Transport of d	angero	ous goods by land:		
With regard to A	ADR 201	9 and RID 2019:		
	14.1	UN number:	UN3269	
		UN proper shipping name: Transport hazard class(es): Labels:	POLYESTER RESIN KIT, liq 3 3	uid base material
3	14.5	Packing group: Environmental hazards:	III No	
	14.6	Special precautions for user Special regulations: Tunnel restriction code:	236, 340 E	
	14.7	Physico-Chemical properties: Limited quantities: Transport in bulk according to Annex II of Marpol and the IBC Code:	see section 9 5 L Non-applicable	
Transport of d	angero	ous goods by sea:		
With regard to I	-			
		UN number:	UN3269	
		UN proper shipping name:	POLYESTER RESIN KIT, liq	uuid base material
		Transport hazard class(es):	3	
		Labels:	3	
	14.4	Packing group:	III	
3	14.5	Environmental hazards:	No	
	14.6	Special precautions for user		
		Special regulations:	236, 340	
		EmS Codes:	F-E, S-D	
		Physico-Chemical properties:	see section 9	
		Limited quantities:	5 L	
		Segregation group:	Non-applicable	
	14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable	
Transport of d	angero	ous goods by air:		
With regard to I	ATA/ICA	AO 2020:		
	14.1	UN number:	UN3269	
344	14.2	UN proper shipping name:	POLYESTER RESIN KIT, liq	uid base material
		Transport hazard class(es): Labels:	3	
3		Packing group:	III	
Ť		Environmental hazards:	No	
	14.6	Special precautions for user		
		Physico-Chemical properties:	see section 9	
	14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable	

AMBER

Revised: 07/04/2020

Version: 4 (Replaced 3)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

Date of compilation: 27/06/2017

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Printing: 09/04/2020

Section	Description	Lower-tier requirements	Upper-tier requirements
P5c		5000	50000

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

Precautionary statements

Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation

H372: Causes damage to organs through prolonged or repeated exposure

H361d: Suspected of damaging the unborn child.

H226: Flammable liquid and vapour

H319: Causes serious eye irritation

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H332 - Harmful if inhaled Eye Irrit. 2: H319 - Causes serious eye irritation Flam. Liq. 3: H226 - Flammable liquid and vapour Repr. 2: H361d - Suspected of damaging the unborn child. Skin Irrit. 2: H315 - Causes skin irritation STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure

Classification procedure:

Skin Irrit. 2: Calculation method STOT RE 1: Calculation method Repr. 2: Calculation method Flam. Liq. 3: Calculation method (2.6.4.3) Eye Irrit. 2: Calculation method

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

- CONTINUED ON NEXT PAGE -

AMBER

Printing: 09/04/2020 Date of compilation: 27/06/2017 Revised: 07/04/2020 Version: 4 (Replaced 3) SECTION 16: OTHER INFORMATION (continued) Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.